Page

Contents

Introduction	Forew	ord		iv
2 Normative references 2 3 Terms and definitions 3 4 Measurement procedures 3 4.1 General 3 4.2 Measurement location 3 4.3 Measurement equipment 6 4.4 Continuous and non-continuous monitoring 7 4.5 Operational conditions 7 4.6 Background vibration 8 4.7 Choice of measurement type 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.2 Evaluation zones 11 6.2.2 <	Intro	duction	1	v
2 Normative references 2 3 Terms and definitions 3 4 Measurement procedures 3 4.1 General 3 4.2 Measurement location 3 4.3 Measurement equipment 6 4.4 Continuous and non-continuous monitoring 7 4.5 Operational conditions 7 4.6 Background vibration 8 4.7 Choice of measurement type 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.2 Evaluation zones 11 6.2.2 <	1	Scope		1
3 Terms and definitions. 3 3 4 Measurement procedures 3 4.1 General 3 4.2 Measurement location 3 4.3 Measurement equipment 6 4.4 Continuous and non-continuous monitoring 7 4.5 Operational conditions 7 4.6 Background vibration 8 4.7 Choice of measurement type 8 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility. 9 9 5.3 Classification according to support flexibility. 9 9 9 9 9 9 9 9 9	_	-		
4.1 General 3 4.2 Measurement location 3 4.2 Measurement equipment 6 4.4 Continuous and non-continuous monitoring 7 4.5 Operational conditions 7 4.6 Background vibration 8 4.7 Choice of measurement type 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zone limits 11 6.2.1 Cale meral 11 6.2.2 Evaluation zone limits 11 6.2.1 Carrierion II: Change in vibration magnitude 11 6.3 Criterion II: Change in vibration magnitude				
4.1 General 3 4.2 Measurement location 3 4.3 Measurement equipment 6 4.4 Continuous and non-continuous monitoring 7 4.5 Operational conditions 7 4.6 Background vibration 8 4.7 Choice of measurement type 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.2 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zone limits 11 6.2.2 Evaluation zone limits 11 6.2.2 Evaluation buring transient operation 11 6.4 Evaluation during transient operation 12 6.5 Operational limits 12 6.5.1 General 12 <td< th=""><th></th><th></th><th></th><th></th></td<>				
4.2 Measurement location	4		Conoral	3
4.3 Measurement equipment 4.4 Continuous and non-continuous monitoring 7.5 Operational conditions. 7.6 A6 Background vibration 8.7 Choice of measurement type 8.5 Machine classification 9.5.1 General 9.5.2 Classification according to machine type, rated power or shaft height 9.5.3 Classification according to support flexibility. 9.6 Evaluation criteria 10.6.1 General 10.6.2 Criterion I: Vibration magnitude 10.6.2.1 General 10.6.2 Criterion I: Vibration magnitude 10.6.2.1 General 10.6.2.2 Evaluation zones 11.6.2.3 Acceptance criteria 11.6.2.4 Evaluation zone limits. 11.6.3 Criterion II: Change in vibration magnitude 11.6.4 Evaluation during transient operation 12.6.5 Operational limits. 12.6.5.1 General 12.6.5.2 Setting ALARM values 13.6.5.3 Setting TRIP values 13.6.6 Supplementary procedures/criteria 13.6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information. 13.Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions. 15.Annex B (normative) Evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions. 15.Annex C (informative) Evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions. 21.Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds. 22.				
4.4 Continuous and non-continuous monitoring				
4.5 Operational conditions. 7 4.6 Background vibration 8 4.7 Choice of measurement type 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.3 Acceptance criteria 11 6.2.4 Evaluation zone Ilmits 11 6.2.4 Evaluation zone limits 11 6.3 Criterion II: Change in vibration magnitude 11 6.4 Evaluation during transient operation 12 6.5 Operational limits 12 6.5.1 General 12 6.5.2 Setting ALARM values 13 6.5.3 Setting TRIP values 13 6.6 Supplementary procedures/criteria 13 6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information 12 Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions 15 Annex B (normative) Evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 17 Annex C (informative) Evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 17 Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds 22				
4.6 Background vibration				
4.7 Choice of measurement type 8 5 Machine classification 9 5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility 9 5.3 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.3 Acceptance criteria 11 6.2.4 Evaluation zone limits 11 6.3 Criterion II: Change in vibration magnitude 11 6.4 Evaluation during transient operation 12 6.5 Operational limits 12 6.5.1 General 12 6.5.2 Setting ALARM values 13 6.5.3 Setting TRIP values 13 6.6 Supplementary procedures/criteria 13 6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information 13 Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions 15 Annex B (normative) Evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 17 Annex C (informative) Guidelines for considering the bearing clearance for the specification of evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 21 Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds 22				
5 Machine classification				
5.1 General 9 5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility 9 6 Evaluation criteria 10 6.1 General 10 6.2 Criterion I: Vibration magnitude 10 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.3 Acceptance criteria 11 6.2.4 Evaluation zone limits 11 6.3 Criterion II: Change in vibration magnitude 11 6.4 Evaluation during transient operation 11 6.5 Operational limits 12 6.5 Operational limits 12 6.5.1 General 12 6.5.2 Setting ALARM values 13 6.6.3 Setting TRIP values 13 6.6 Supplementary procedures/criteria 13 6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information 13 Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions 15 Annex C (informative) Guidelines for considering the bearing clearance for the specification of evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 21 Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds 22			Choice of measurement type	0
5.2 Classification according to machine type, rated power or shaft height 9 5.3 Classification according to support flexibility	5		ine classification	9
5.3 Classification according to support flexibility		_		
6 Evaluation criteria		_	Classification according to machine type, rated power or shaft height	9
6.1 General 10 6.2 Criterion I: Vibration magnitude 11 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.3 Acceptance criteria 11 6.2.4 Evaluation zone limits 11 6.3 Criterion II: Change in vibration magnitude 11 6.4 Evaluation during transient operation 12 6.5 Operational limits 12 6.5.1 General 12 6.5.2 Setting ALARM values 13 6.5.3 Setting TRIP values 13 6.6 Supplementary procedures/criteria 13 6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information 13 Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions 15 Annex C (informative) Guidelines for considering the bearing clearance for the specification of evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 21 Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds 22				
6.1 General 10 6.2 Criterion I: Vibration magnitude 11 6.2.1 General 10 6.2.2 Evaluation zones 11 6.2.3 Acceptance criteria 11 6.2.4 Evaluation zone limits 11 6.3 Criterion II: Change in vibration magnitude 11 6.4 Evaluation during transient operation 12 6.5 Operational limits 12 6.5.1 General 12 6.5.2 Setting ALARM values 13 6.5.3 Setting TRIP values 13 6.6 Supplementary procedures/criteria 13 6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information 13 Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions 15 Annex C (informative) Guidelines for considering the bearing clearance for the specification of evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 21 Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds 22	6	Evalu	ation criteria	10
6.2 Criterion I: Vibration magnitude	Ū			
6.2.1 General				
6.2.2 Evaluation zones			6.2.1 General	10
6.2.3 Acceptance criteria				
6.2.4 Evaluation zone limits				
6.3 Criterion II: Change in vibration magnitude				
6.4 Evaluation during transient operation		6.3		
6.5 Operational limits				
6.5.1 General 12 6.5.2 Setting ALARM values 13 6.5.3 Setting TRIP values 13 6.6 Supplementary procedures/criteria 13 6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information 13 Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions 15 Annex B (normative) Evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 17 Annex C (informative) Guidelines for considering the bearing clearance for the specification of evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions 21 Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds 22				
6.5.2 Setting ALARM values		0.0		
6.5.3 Setting TRIP values				
6.6 Supplementary procedures/criteria				
6.7 Evaluation based on changes in vibration amplitude of specified frequency components and vibration vector information		6.6		
Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions			Evaluation based on changes in vibration amplitude of specified frequency	
Annex A (normative) Evaluation criteria for vibration measured on non-rotating parts of coupled industrial machines under specified operating conditions			components and vibration vector information	13
coupled industrial machines under specified operating conditions	A	A C		
machines under specified operating conditions	Annex			15
machines under specified operating conditions	Annex			
specification of evaluation criteria for shaft relative vibration of coupled industrial machines under specified operating conditions	, (17
machines under specified operating conditions	Annex			
Annex D (informative) Cautionary notes about the use of vibration velocity criteria at low rotational speeds	3			21
rotational speeds22	Annex			
Bibliography24				22
	Biblio	granhv	<i>I</i>	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are specified in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 108, *Mechanical vibration, shock and condition monitoring*, Subcommittee SC 2, *Measurement and evaluation of mechanical vibration and shock as applied to machines, vehicles and structures*.

This first edition of ISO 20816-3 cancels and replaces ISO 7919-3:2009, ISO 7919-3:2009/Amd 1:2017, ISO 10816-3:2009 and ISO 10816-3:2009/Amd 1:2017, which have been merged and editorially revised. A list of all parts in the ISO 20816 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document provides specific guidance for assessing

- a) the severity of vibration measured on bearings, bearing pedestals, or housings of industrial machines when measurements are made in-situ, and
- b) the severity of radial shaft vibration on coupled industrial machines.

Evaluation criteria, based on previous experience, are given for use as guidelines for assessing the vibratory conditions of such machines. One criterion considers the magnitude of the observed broadband vibration; the second considers the changes in the magnitude of the observed broadband vibration. It should be recognized, however, that these criteria do not form the only basis for judging the severity of vibration.

OUESTO DO WILLIAM PREVIEW REPORTS AND A STATE OF THE PROPERTY OF THE PROPERTY

Mechanical vibration — **Measurement and evaluation of machine vibration** —

Part 3:

Industrial machinery with a power rating above 15 kW and operating speeds between 120 r/min and 30 000 r/min

1 Scope

This document specifies the general requirements for evaluating the vibration of various coupled industrial machine types with a power above 15 kW and operating speeds between 120 r/min and 30 000 r/min when measurements are made in-situ. Guidelines for applying evaluation criteria are provided for measurements taken on non-rotating and rotating parts under normal operating conditions. The guidelines are presented in terms of both steady running vibration values and in terms of changes to vibration magnitude, which can occur in these steady values. The numerical values presented are intended to serve as guidelines based on worldwide machine experience, but shall be applied with due regard to specific machine features which can cause these values to be inappropriate. In general, the condition of a machine is assessed by consideration of both the shaft vibration and the associated structural vibration, as well as specific frequency components, which do not always relate to the broadband severity values presented.

The machine types covered by this document include:

- a) steam turbines and generators with outputs less than or equal to 40 MW (see Note 1 and Note 2);
- b) steam turbines and generators with outputs greater than 40 MW which normally operate at speeds other than 1 500 r/min, 1 800 r/min, 3 000 r/min or 3 600 r/min (although generators seldom fall into this category) (see Note 1);
- c) rotary compressors;
- d) industrial gas turbines with outputs less than or equal to 3 MW (see Note 2);
- e) turbofans;
- electric motors of any type, if the coupling is flexible. When a motor is rigidly coupled to a machine type covered by any other part of ISO 20816, the motor may be assessed either against that other part or against ISO 20816-3;
- g) rolls and mills;
- h) conveyors;
- i) variable speed couplings; and
- i) blowers or fans (see Note 3).

NOTE 1 Land based steam turbines, gas turbines and generators of greater than 40 MW capacity, which run at $1\,500\,r/min$, $1\,800\,r/min$, $3\,000\,r/min$ or $3\,600\,r/min$ are covered by the requirements of ISO 20816-2. Generators in hydro-electric plants are covered by ISO 20816-5.

NOTE 2 Gas turbines of power greater than 3 MW are covered by ISO 20816-4.

ISO 20816-3:2022(E)

NOTE 3 The vibration criteria presented in this document are generally only applicable to fans with power ratings greater than 300 kW or fans which are not flexibly supported. As and when circumstances permit, recommendations for other types of fans, including those of lightweight sheet-metal construction, will be prepared. Until these recommendations are available, classifications can be agreed between the manufacturer and the customer; using results of previous operational experience (see also ISO 14694).

Machinery including a geared stage can fall under the scope of this document. For performing acceptance tests of gearboxes please refer to ISO 20816-9.

The following types of industrial machine are not covered by this document:

- k) land-based gas turbines, steam turbines and generators with power outputs greater than 40 MW and speeds of 1 500 r/min, 1 800 r/min, 3 000 r/min or 3 600 r/min (see ISO 20816-2);
- l) gas turbine sets with power outputs greater than 3 MW (see ISO 20816-4);
- m) machine sets in hydraulic power generating and pumping plants (see ISO 20816-5);
- n) reciprocating machines and machines solidly coupled to reciprocating machines (see ISO 10816-6);
- o) rotordynamic pumps and any integrated or solidly coupled electric motors where the impeller is mounted directly on the motor shaft or is rigidly attached to it (see ISO 10816-7);
- p) reciprocating compressor systems (see ISO 20816-8);
- q) rotary positive displacement compressors (e. g. screw compressors);
- r) submerged motor-pumps; and
- s) wind turbines (see ISO 10816-21).

The requirements of this document apply to in-situ broad-band vibration measurements taken on the shafts, bearings, bearing pedestals, or housings of machines under steady-state operating conditions within their nominal operating speed range. The requirements relate to both acceptance testing and operational monitoring. The evaluation criteria included in this document can be applied to both continuous and non-continuous monitoring situations.

The requirements of this document cover machines which can have gears or rolling element bearings, but do not address the diagnostic evaluation of the condition of those gears or bearings.

The requirements in this document are applicable only for the vibration produced by the machine set itself and not for vibration that is transmitted to the machine set from external sources.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2041, Mechanical vibration, shock and condition monitoring — Vocabulary

ISO 2954, Mechanical vibration of rotating and reciprocating machinery — Requirements for instruments for measuring vibration severity

ISO 10817-1, Rotating shaft vibration measuring systems — Part 1: Relative and absolute sensing of radial vibration

ISO 20816-1, Mechanical vibration — Measurement and evaluation of machine vibration — Part 1: General guidelines